

Safety Data Sheet

According to Japanese National Standard JIS Z 7252:2019, JIS Z 7253:2019 and the GHS Revision 6

Initial preparation date: 09.30.2024

Page 1 of 9

Nylon 12 GF

SECTION 1: Chemical product and company identification

Product identifier

Product name: Nylon 12 GF

Product code: FLP12B01

Recommended use of the product and restriction on use

Relevant identified uses: For use in Formlabs Fuse Printers.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

United States

Formlabs, Inc

35 Medford St

Suite 201 Somerville, MA 02143

+1 617 855 0762

sds@formlabs.com

Emergency telephone number:

APAC

CHEMTREC (APAC)

+65 3163 8374 (24/7)

SECTION 2: Hazards identification

Classification in accordance with JIS Z 7252:2019 and the GHS Revision 6: Not a hazardous substance or mixture

Label elements

Hazard pictograms: None

Signal Word: None

Hazard statements: None

Precautionary statements: None

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Substance: Not applicable

Mixture:

Identification	Name	Wt. %
CAS number: 1333-86-4	Carbon Black	<0.999

Additional information: None

SECTION 4: First-aid measures

Description of first aid measures

General notes:

Safety Data Sheet

According to Japanese National Standard JIS Z 7252:2019, JIS Z 7253:2019 and the GHS Revision 6

Initial preparation date: 09.30.2024

Page 2 of 9

Nylon 12 GF

Show this Safety Data Sheet to the doctor in attendance.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. If respiratory symptoms develop or persist, seek medical advice/attention.

After skin contact:

Wash affected area with plenty of soap and water. Remove contaminated clothing and launder before reuse. If skin irritation develops or persists, seek medical advice/attention.

After eye contact:

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Product presents an explosion hazard when suspended in air under certain conditions. Inhalation of large amounts of dust may cause inflammation and irritation of the nose and throat. Symptoms may include cough, sore throat, tightness of the chest, chest pain and lightheadedness.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA).

Special precautions:

Violent reactions may result from the use of a water jet or halogenated extinguishing agents. When using extinguishers, avoid dispersing combustible dust into the air. Aim extinguishers directly at the base of the flames and apply the agent as gently as possible. Overall, give preference to using medium to wide spray patterns rather than solid streams. Use only non-sparking tools. Fire fight from a protected location or maximum possible distance. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

Safety Data Sheet

According to Japanese National Standard JIS Z 7252:2019, JIS Z 7253:2019 and the GHS Revision 6

Initial preparation date: 09.30.2024

Page 3 of 9

Nylon 12 GF

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Extinguish any sources of ignition. Do not ventilate area as this may spread dust. Wear recommended personal protective equipment including suitable respiratory protection (see Section 8). Ensure no sources of electric discharge or ignition are on your person before entering area. Do not get on skin, eyes or on clothing. Avoid breathing dust, fumes. Wash thoroughly after handling. Remove contaminated clothing and laundry before reuse.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Avoid dust generation or stirring up of dust. Use only non-sparking tools. Ground all equipment used for recovery and clean up. Vacuum up and place in suitable containers for future disposal. Only use vacuum cleaners approved for dust collection. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Use dust explosion proof electrical equipment and lighting. Avoid dust generation and dispersal of dust in air. Dust deposits should not be allowed to accumulate on surfaces. Clean dust residues at regular intervals. Do not use brooms or compressed air hoses to clean surfaces. Only use vacuums approved for dust collection. Use only nonsparking tools. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions such as electrical grounding and bonding or inner atmospheres. Keep containers tightly closed and grounded when not in use. Workers whose clothing may have been contaminated should change into non-contaminated clothing before leaving the work premises. Contaminated clothing should be segregated in such a manner so that there is no direct personal contact by personnel who handle, dispose or clean the clothing. Contaminated clothing should not be allowed out of the workplace. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10).

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Safe packaging material

Suitable material:

Not determined or not applicable.

Unsuitable material:

Not determined or not applicable.

SECTION 8: Exposure controls and personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Safety Data Sheet

According to Japanese National Standard JIS Z 7252:2019, JIS Z 7253:2019 and the GHS Revision 6

Initial preparation date: 09.30.2024

Page 4 of 9

Nylon 12 GF

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Japan	Carbon Black	1333-86-4	8-Hour TWA: 1 mg/m ³ (Respirable dust)
	Carbon Black	1333-86-4	8-Hour TWA: 4 mg/m ³ (Total dust)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

This product is a combustible material which may be ignited by friction, heat, sparks or flames. It is recommended that all dust control equipment (such as local exhaust ventilation and material transport systems) involved in handling this product contain explosion relief vents or an explosion suppression system. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area. Keep static electricity under control, which includes the bonding and grounding of equipment. Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical State	Powder
Color	Black
Odor	Odorless
pH	Not determined or not available.
Melting point/freezing point	367 °F/186 °C

Safety Data Sheet

According to Japanese National Standard JIS Z 7252:2019, JIS Z 7253:2019 and the GHS Revision 6

Initial preparation date: 09.30.2024

Page 5 of 9

Nylon 12 GF

Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not classified as a flammability hazard.
Lower flammability/explosive limit	see Explosiveness
Upper flammability/explosive limit	see Explosiveness
Vapor pressure	Not determined or not available.
Relative density	1.0 - 1.2 (68 °F/20 °C)
Relative gas density	Not determined or not available.
Density	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	> 662 °F/> 350 °C
Decomposition temperature	> 572 °F/> 300 °C
Kinematic viscosity	Not determined or not available.
Particle characteristics	Not determined or not available.
Solubilities	Not determined or not available.

Other information

Explosive Properties	Not explosive. Dust may form explosive mixture with air.
----------------------	--

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible materials:

None known.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Hazard information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Carbon Black	oral	LD50 Rat: >2000 mg/kg
	dermal	LD50 Rabbit: >2000 mg/kg
	inhalation	LC50 Rat: >4.6 mg/L (4 hr [dust])

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Safety Data Sheet

According to Japanese National Standard JIS Z 7252:2019, JIS Z 7253:2019 and the GHS Revision 6

Initial preparation date: 09.30.2024

Page 6 of 9

Nylon 12 GF

Product data:

No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Species	Result
Carbon Black	Not applicable	Suspected of causing cancer by inhalation exposure route.

International Agency for Research on Cancer (IARC):

Name	Classification
Carbon Black	Group 2B

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

Safety Data Sheet

According to Japanese National Standard JIS Z 7252:2019, JIS Z 7253:2019 and the GHS Revision 6

Initial preparation date: 09.30.2024

Page 7 of 9

Nylon 12 GF

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Carbon Black	Fish LC50 Danio rerio: >1000 mg/L (96 hr)
	Aquatic Plants EC50 Raphidocelis subcapitata: >100 mg/L (72 hr [growth rate and cell number])
	Aquatic Invertebrates EC50 Daphnia magna: >100 mg/L (48 hr [immobilisation and toxicity])

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Carbon Black	Aquatic Invertebrates EC50 Daphnia magna: 4.9 mg/L (16 d [immobilization; QSAR])

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Carbon Black	Persistence assessment based on biodegradability is not relevant for inorganic compounds such as this substance.

Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Carbon Black	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for inorganic compounds such as this substance.

Mobility in soil

Product data: No data available.

Substance data:

Name	Result
Carbon Black	Mobility in soil assessment based on KOC/Kd values are not relevant for inorganic compounds such as this substance.

Results of PBT and vPvB assessment

Product data:

Safety Data Sheet

According to Japanese National Standard JIS Z 7252:2019, JIS Z 7253:2019 and the GHS Revision 6

Initial preparation date: 09.30.2024

Page 8 of 9

Nylon 12 GF

PBT assessment: This product does not contain any substances that are assessed to be a PBT..

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB..

Substance data:

PBT assessment:

Carbon Black	PBT assessment does not apply to inorganic compounds such as this substance.
--------------	--

vPvB assessment:

Carbon Black	vPvB assessment does not apply to inorganic compounds such as this substance.
--------------	---

Hazard to the ozone layer

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Notes on disposal

Disposal methods:

Do not discharge into public wastewater or surface waters. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

Contaminated packages:

Dispose contaminated packages in a safe manner in accordance with local and national regulations. Do not allow the product to be released into the environment.

SECTION 14: Transport information

International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None

Safety Data Sheet

According to Japanese National Standard JIS Z 7252:2019, JIS Z 7253:2019 and the GHS Revision 6

Initial preparation date: 09.30.2024

Page 9 of 9

Nylon 12 GF

Environmental hazards	None
Special precautions for user	None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

Japan regulations

Japan Inventory of Existing and New Chemical Substances (ENCS): All ingredients are listed or exempt.

Chemical Substance Control Law

Priority Assessment Chemical Substance: None of the ingredients are listed.

Industrial Safety and Health Act (ISHA)

Existing Chemical Substances:

1333-86-4	Carbon Black	Listed	(5)-5222, (5)-3328
-----------	--------------	--------	-----------------------

Ordinance on Prevention of Organic Solvent Poisoning: None of the ingredients are listed.

PRTR Specified Class 1 Substances: None of the ingredients are listed.

PRTR Class 1 Substances: None of the ingredients are listed.

PRTR Class 2 Substances: None of the ingredients are listed.

Poisonous and Deleterious Substances: None of the ingredients are listed.

Fire Service Law:

1333-86-4	Carbon Black	
-----------	--------------	--

Additional information: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with Japanese National Standard JIS Z 7252:2019, JIS Z 7253:2019 and the GHS Revision 6 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 09.30.2024

End of Safety Data Sheet